

# DPI Preventative Maintenance Order

62004708920

ORDER #	62004708920	PLANT	Wake County	ASSIGN	SO H.SPRINGS AUSTIN
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	11/27/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	15 min	
/	Check Brakes and Slack Adjusters: LF <u>1</u> RF <u>1</u> LR <u>1</u> <u>1/2</u> RR <u>1 1/2</u>	/	Brake Line: _____
0030	Perform 30 day safety inspection	45 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	/	Seats: all Covers / Foam / Frames
/	Door Controls (all)	/	Seat Cushions Secure (y/n)
/	Horn	/	Seat Belts (all)
/	Sun visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	X	Brake, park (check/adj)
/	Turn signals/cancel	/	WC Lift
/	Dash Instruments (all)	/	WC Mounts
/	Fire ext / Belt Cutter	45	Governor MPH Max.
/	Body Fluid / Firstaid Kit	/	Check Travel Angle
/	Child Reminder system	/	ROAD TEST COMPLETED
/	Heater A/C filter clean	N/a	Optional Brake Meter Test %
/	Heater/Defroster/A/C	/	Clean - Interior
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>15</u> LRO <u>10</u> LRI <u>7</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>17</u> RRO <u>9</u> RRI <u>7</u>
/	WS Wipers (arm travel)	/	Hub Oil: LF <u>Full</u> RF <u>Full</u> N/A <u>  </u>
None	Washer Fluid Added		Stop Sign/walking arm
/	Bus Body Glass (all)	/	Body Damage
/	Batteries and Cables	X	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>110</u> LRO <u>96</u> LRI <u>104</u>	/	Clean - Exterior
/	Tire PSI: (Right Side): RF <u>112</u> RRO <u>90</u> RRI <u>92</u>		
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts <u>None</u>	/	Clean slacks with brush
/	Trans: fluid added: Quarts <u>None</u>	/	Springs and hangers
/	Coolant Frz: Freeze Pt. <u>p</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember Cracks
/	Engine Belts (adjust all)	/	Diff: If leaks, Check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system ok		

11/26/2019 11:11am

TECH SIGNATURE

END DATE

TOTAL TIME 60 min

SUPERVISOR

DATE

Notes

Warning buzzers (all)	rear door buzzer at back door intermittent. Dash buzzer works properly
WC Lift	N/a
WC Mounts	N/a
Batteries and Cables	Battery compartment latch
Stop Sign/walking arm	Stop sign bracket cracked

TECH SIGNATURE \_\_\_\_\_ END DATE \_\_\_\_\_ TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_ DATE \_\_\_\_\_

# DPI Preventative Maintenance Order

62004685335

ORDER #	62004685335	PLANT	Wake County	ASSIGN	SO H.SPRINGS AUSTIN
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	10/31/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	CHECK BRAKES AND SLACK ADJUSTERS	15 min	
/	Front: LF <u>1</u> RF <u>1</u> LR <u>1 1/2</u> RR <u>1 1/2</u>		Brake Lining:

0020	TEST COOLANT CONDITION WITH STRIPS	5 min	
Pass	SCA/PH		



0030	PERFORM 30 DAY SAFETY INSPECTION	45 min	
------	----------------------------------	--------	--

INSIDE		All tasks that are performed INSIDE the bus	
/	Ent.steps/Handrails	/	Seats: all Covers/Foam/Frames
/	Door controls (all)	/	Seat Cushions secure?
/	Horn	/	Seat Belts (all)
/	Sun Visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	X	Brake, park (check/adj)
/	Turn Signals/cancel	/	WC Lift
/	Dash Instruments (all)	/	WC mounts
/	Fire ext / Belt Cutter	45	Governor MPH max.
/	Body fluid/Firstaid Kit	/	Check Travel Angle
/	Child Reminder System	/	ROAD TEST COMPLETED
/	Heater/AC filter clean	N/a	OPTIONAL BRAKE METER TEST %
/	Heater/Defroster/A/C	/	Clean: Interior

OUTSIDE		All tasks that are performed OUTSIDE the bus	
/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>18</u> LRO <u>11</u> LRI <u>8</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>10</u> RRO <u>10</u> RRI <u>10</u>
/	WS Wipers (arm travel)	X	Hub Oil:: LF <u>Full</u> RF <u>Full</u> N/A <u>10</u>
None	Washer Fluid added	/	Stop sign/walking arm
/	Bus Body Glass	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>118</u> LRO <u>100</u> LRI <u>106</u>	/	Clean: Exterior
/	Tire PSI: (Right Side): RF <u>114</u> RRO <u>95</u> RRI <u>96</u>		

UNDER		All tasks that are performed UNDER the bus	
/	Engine: Oil Added: Quarts <u>None</u>	/	Clean slacks with brush
/	Trans: Fluid added: Quarts <u>None</u>	/	Springs and hangers
/	Coolant: Frz: Freeze Pt. <u>Pass</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember cracks
/	Engine belts (adjust all)	/	Diff: If leaks, check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system Ok?		

10/28/2019 10:42am

TECH SIGNATURE	END DATE	TOTAL TIME
	10/28/2019	65 min
SUPERVISOR	DATE	
		

Notes

WC Lift	N/a
WC mounts	N/a

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	

# DPI Preventative Maintenance Order

62004663241

ORDER #	62004663241	PLANT	Wake County	ASSIGN	SO H.SPRINGS AUSTIN
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	10/04/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
-----------	-------------	------	-----------

0010	Check Brakes and Slack Adjusters	15 min	
------	----------------------------------	--------	--

/	Check Brakes and Slack Adjusters: LF <u>1</u> RF <u>1</u> LR <u>1</u>	/	Brake Line:
	<u>1/2</u> RR <u>1 1/2</u>		

0030	Perform 30 day safety inspection	45 min	
------	----------------------------------	--------	--

**Inside** All tasks that are performed INSIDE the Bus

/	Ent.Steps/Handrails	/	Seats: all Covers / Foam / Frames
/	Door Controls (all)	/	Seat Cushions Secure (y/n)
/	Horn	/	Seat Belts (all)
/	Sun visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	X	Brake, park (check/adj)
/	Turn signals/cancel	/	WC Lift
/	Dash Instruments (all)	/	WC Mounts
/	Fire ext / Belt Cutter	45	Governor MPH Max.
/	Body Fluid / Firstaid Kit	/	Check Travel Angle
/	Child Reminder system	/	ROAD TEST COMPLETED
/	Heater A/C filter clean	N/a	Optional Brake Meter Test %
/	Heater/Defroster/A/C	/	Clean - Interior

**OUTSIDE** All tasks that are performed OUTSIDE the Bus

/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>20</u> LRO <u>10</u> LRI <u>8</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>  </u> RRO <u>10</u> RRI <u>10</u>
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>  </u> RF <u>Full</u> N/A <u>  </u>
None	Washer Fluid Added	/	Stop Sign/walking arm
/	Bus Body Glass (all)	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>116</u> LRO <u>100</u> LRI <u>102</u>	/	Clean - Exterior
/	Tire PSI: (Right Side): RF <u>  </u> RRO <u>94</u> RRI <u>92</u>		

**UNDER** All tasks that are performed UNDER the Bus

/	Engine: Oil Added: Quarts <u>None</u>	/	Clean slacks with brush
/	Trans: fluid added: Quarts <u>None</u>	/	Springs and hangers
/	Coolant Frz: Freeze Pt. <u>N/a</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember Cracks
/	Engine Belts (adjust all)	/	Diff: If leaks, Check tube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system ok		

10/1/2019 12:28pm


TECH SIGNATURE

END DATE

TOTAL TIME 60 min

SUPERVISOR

DATE



Notes

Warning buzzers (all)	Rear door buzzer inop.
WC Lift	N/a
WC Mounts	N/a

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	

# DPI Preventative Maintenance Order


62004643408


ORDER #	62004643408	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	09/05/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	15 min	
/	Check Brakes and Slack Adjusters: LF <u>1</u> RF <u>1</u> LR <u>1</u> <u>1/2</u> RR <u>1 1/2</u>	/	Brake Line: _____
0030	Perform 30 day safety inspection	45 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	_____	Seats: all Covers / Foam / Frames <u>X</u>
/	Door Controls (all)	_____	Seat Cushions Secure (y/n) _____
/	Horn	_____	Seat Belts (all) _____
/	Sun visor	_____	Brake, foot (check/adj) _____
/	Warning buzzers (all)	_____	Brake, park (check/adj) _____
/	Turn signals/cancel	_____	WC Lift _____
/	Dash Instruments (all)	_____	WC Mounts _____
/	Fire ext / Belt Cutter	_____	Governor MPH Max. _____
/	Body Fluid / Firstaid Kit	_____	Check Travel Angle _____
/	Child Reminder system	_____	ROAD TEST COMPLETED _____
/	Heater A/C filter clean	_____	Optional Brake Meter Test % _____
/	Heater/Defroster/A/C	_____	Clean - Interior _____
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	_____	Tire Tread: (Left Side): LF <u>23</u> LRO <u>10</u> LRI <u>11</u>
_____	Lights (all)	<u>X</u>	Tire Tread: (Right Side): RF <u>22</u> RRO <u>12</u> RRI <u>12</u>
/	WS Wipers (arm travel)	_____	Hub Oil:: LF <u>Full</u> RF <u>Full</u> N/A _____
<u>None</u>	Washer Fluid Added	_____	Stop Sign/walking arm _____
/	Bus Body Glass (all)	_____	Body Damage _____
/	Batteries and Cables	_____	Letter Damage _____
_____	Drain Air Tanks Completely	<u>X</u>	Paint Damage _____
/	Tire PSI: (Left Side): LF <u>124</u> LRO <u>105</u> LRI <u>112</u>	_____	Clean - Exterior _____
/	Tire PSI: (Right Side): RF <u>122</u> RRO <u>100</u> RRI <u>102</u>	_____	
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts <u>None</u>	_____	Clean slacks with brush _____
/	Trans: fluid added: Quarts <u>None</u>	_____	Springs and hangers _____
/	Coolant Frz: Freeze Pt. <u>p</u>	_____	Frame/Crossmember bolts _____
/	Steering, Brake: fluid	_____	Frame/Crossmember Cracks _____
/	Engine Belts (adjust all)	_____	Diff: If leaks, Check lube _____
/	Drain fuel/water separator	_____	Drive shaft (guards ok?) _____
/	Exhaust system ok	_____	

9/4/2019 9:02am

TECH SIGNATURE  END DATE \_\_\_\_\_ TOTAL TIME 60 min

SUPERVISOR  DATE \_\_\_\_\_

Notes

WC Lift	N/a
WC Mounts	N/a

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	



# DPI Preventative Maintenance Order

62004629673

ORDER #	62004629673	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	08/07/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	CHECK BRAKES AND SLACK ADJUSTERS	15 min	
/	Front: LF <u>1</u> RF <u>1</u> LR <u>1 1/2</u> RR <u>1 1/2</u>		Brake Lining: _____
0020	TEST COOLANT CONDITION WITH STRIPS	5 min	
Pass	SCA/PH		
0030	PERFORM 30 DAY SAFETY INSPECTION	45 min	
<b>INSIDE</b> All tasks that are performed INSIDE the bus			
/	Ent.steps/Handrails	X	Seats: all Covers/Foam/Frames
/	Door controls (all)	/	Seat Cushions secure?
/	Horn	/	Seat Belts (all)
/	Sun Visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	/	Brake, park (check/adj)
/	Turn Signals/cancel	/	WC Lift
/	Dash Instruments (all)	/	WC mounts
/	Fire ext / Belt Cutter	45	Governor MPH max.
/	Body fluid/Firstaid Kit	/	Check Travel Angle
/	Child Reminder System	/	ROAD TEST COMPLETED
/	Heater/AC filter clean	N/a	OPTIONAL BRAKE METER TEST %
/	Heater/Defroster/A/C	/	Clean: Interior
<b>OUTSIDE</b> All tasks that are performed OUTSIDE the bus			
/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>22</u> LRO <u>11</u> LRI <u>11</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>22</u> RRO <u>10</u> RRI <u>9</u>
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>Full</u> RF <u>Full</u> N/A
None	Washer Fluid added	/	Stop sign/walking arm
/	Bus Body Glass	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	X	Paint Damage
/	Tire PSI: (Left Side): LF <u>125</u> LRO <u>106</u> LRI <u>114</u>	/	Clean: Exterior
/	Tire PSI: (Right Side): RF <u>120</u> RRO <u>100</u> RRI <u>100</u>	/	
<b>UNDER</b> All tasks that are performed UNDER the bus			
/	Engine: Oil Added: Quarts <u>None</u>	/	Clean slacks with brush
/	Trans: Fluid added: Quarts <u>None</u>	/	Springs and hangers
/	Coolant: Frz: Freeze Pt. <u>p</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember cracks
/	Engine belts (adjust all)	/	Diff: If leaks, check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system Ok?	/	

TECH SIGNATURE

END DATE

8/6/2019 10:43am

TOTAL TIME

65 min

SUPERVISOR

DATE

Notes

Ent.steps/Handrails	Entrance door handle
WC Lift	N/a
WC mounts	N/a
Steering, Brake: fluid	Drag link

TECH SIGNATURE \_\_\_\_\_

END DATE \_\_\_\_\_

TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_

DATE \_\_\_\_\_

# DPI Preventative Maintenance Order

62004617252

ORDER #	62004617252	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	07/10/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
-----------	-------------	------	-----------

0010	Check Brakes and Slack Adjusters	15 min	
------	----------------------------------	--------	--

/	Check Brakes and Slack Adjusters: LF <u>1</u> RF <u>1</u> LR <u>1</u>	/	Brake Line:
	<u>1/4</u> RR <u>1 1/4</u>		

0030	Perform 30 day safety inspection	45 min	
------	----------------------------------	--------	--

### Inside All tasks that are performed INSIDE the Bus

/	Ent.Steps/Handrails	X	/	Seats: all Covers / Foam / Frames	X
/	Door Controls (all)	X	/	Seat Cushions Secure (y/n)	
/	Horn		/	Seat Belts (all)	
/	Sun visor		/	Brake, foot (check/adj)	
/	Warning buzzers (all)		/	Brake, park (check/adj)	
/	Turn signals/cancel		/	WC Lift	
	Dash Instruments (all)	X	/	WC Mounts	
	Fire ext / Belt Cutter	X	45	Governor MPH Max.	
	Body Fluid / Firstaid Kit	X	/	Check Travel Angle	
/	Child Reminder system		/	ROAD TEST COMPLETED	
/	Heater A/C filter clean		N/a	Optional Brake Meter Test %	
	Heater/Defroster/A/C	X	/	Clean - Interior	

### OUTSIDE All tasks that are performed OUTSIDE the Bus

/	Mirrors (all)	X	/	Tire Tread: (Left Side): LF <u>4</u> LRO <u>12</u> LRI <u>8</u>	
/	Lights (all)	X		Tire Tread: (Right Side): RF <u>10</u> RRO <u>9</u> RRI <u>10</u>	X
	WS Wipers (arm travel)	X	/	Hub Oil:: LF <u>p</u> RF <u>p</u> N/A	
None	Washer Fluid Added		/	Stop Sign/walking arm	
/	Bus Body Glass (all)			Body Damage	X
/	Batteries and Cables		/	Letter Damage	
	Drain Air Tanks Completely	X	/	Paint Damage	
/	Tire PSI: (Left Side): LF <u>92</u> LRO <u>100</u> LRI <u>106</u>		/	Clean - Exterior	
/	Tire PSI: (Right Side): RF <u>94</u> RRO <u>98</u> RRI <u>98</u>				

### UNDER All tasks that are performed UNDER the Bus

/	Engine: Oil Added: Quarts <u>None</u>	/	Clean slacks with brush		
	Trans: fluid added: Quarts <u></u>	X	/	Springs and hangers	
/	Coolant Frz: Freeze Pt. <u></u>		/	Frame/Crossmember bolts	
/	Steering, Brake: fluid		/	Frame/Crossmember Cracks	
	Engine Belts (adjust all)	X	/	Diff: If leaks, Check lube	
/	Drain fuel/water separator		/	Drive shaft (guards ok?)	
/	Exhaust system ok				

7/8/2019 9:18am

TECH SIGNATURE

END DATE

TOTAL TIME 60 min

SUPERVISOR

DATE

Notes

Ent.Steps/Handrails	3 step treads, entrance dash panel broke
Dash Instruments (all)	Abs light, drivers fan loose
Heater/Defroster/A/C	Heater shut off valve cover seperating, front ac warm, rear ac warm, ac contols need replaced, top ac compressor locked up
Seats: all Covers / Foam / Frames	Drivers seaf cover seperating, 6 seat cushions, 13 seat bottoms, 4 seat covers
WC Lift	N/a
WC Mounts	N/a
Mirrors (all)	Both crossover mirror brackets loose, crossover mirror bases cracked
Lights (all)	D/s rear red clearnace light, p/s middle amber clearence light
Drain Air Tanks Completely	P/s front brake chamber seepage
Body Damage	Engine air intake hose clamp not secure, p/s bumper cap hardware, hood leash spring broke, drag link
Trans: fluid added	Trans seepage
Engine Belts (adjust all)	Ac belt

TECH SIGNATURE \_\_\_\_\_ END DATE \_\_\_\_\_ TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_ DATE \_\_\_\_\_

# DPI Preventative Maintenance Order

62004595694

ORDER #	62004595694	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	06/12/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	15 min	
/	Check Brakes and Slack Adjusters: LF <u>1.5</u> RF <u>1.5</u> LR <u>1.5</u> RR <u>1.5</u>	/	Brake Line: _____
0030	Perform 30 day safety inspection	45 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	/	Seats: all Covers / Foam / Frames <u>X</u>
/	Door Controls (all)	/	Seat Cushions Secure (y/n) _____
/	Horn	/	Seat Belts (all) _____
/	Sun visor	/	Brake, foot (check/adj) _____
/	Warning buzzers (all)	/	Brake, park (check/adj) _____
/	Turn signals/cancel	/	WC Lift _____
/	Dash Instruments (all) <u>X</u>	/	WC Mounts _____
/	Fire ext / Belt Cutter	45	Governor MPH Max. _____
/	Body Fluid / Firstaid Kit	/	Check Travel Angle _____
/	Child Reminder system	/	ROAD TEST COMPLETED _____
/	Heater A/C filter clean	Na	Optional Brake Meter Test % _____
/	Heater/Defroster/A/C	/	Clean - Interior _____
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>5</u> LRO <u>10</u> LRI <u>8</u> _____
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>10</u> RRO <u>10</u> RRI <u>9</u> _____
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>P</u> RF <u>P</u> N/A _____
Na	Washer Fluid Added	/	Stop Sign/walking arm _____
/	Bus Body Glass (all)	/	Body Damage _____
/	Batteries and Cables	/	Letter Damage _____
/	Drain Air Tanks Completely	/	Paint Damage _____
/	Tire PSI: (Left Side): LF <u>95</u> LRO <u>100</u> LRI <u>110</u>	/	Clean - Exterior _____
/	Tire PSI: (Right Side): RF <u>95</u> RRO <u>100</u> RRI <u>100</u>	/	
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts _____	/	Clean slacks with brush _____
/	Trans: fluid added: Quarts _____	/	Springs and hangers _____
/	Coolant Frz: Freeze Pt. <u>p</u>	/	Frame/Crossmember bolts _____
/	Steering, Brake: fluid	/	Frame/Crossmember Cracks _____
/	Engine Belts (adjust all)	/	Diff: If leaks, Check lube _____
/	Drain fuel/water separator	/	Drive shaft (guards ok?) _____
/	Exhaust system ok	/	

6/10/2019 10:55am

TECH SIGNATURE

END DATE

TOTAL TIME 60 min

SUPERVISOR

DATE

Notes

Dash Instruments (all)	Abs light is on
Seats: all Covers / Foam / Frames	Need 1 seat back and foam, need 2 seat bottoms
WC Lift	Na
WC Mounts	Na

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	

# DPI Preventative Maintenance Order

62004576469

ORDER #	62004576469	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	05/17/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	CHECK BRAKES AND SLACK ADJUSTERS	10 min	
/	Front: LF <u>1.5</u> RF <u>1.5</u> LR <u>1.75</u> RR <u>1.75</u> _____ / Brake Lining: _____		
0020	TEST COOLANT CONDITION WITH STRIPS	10 min	
P	SCA/PH _____		
0030	PERFORM 30 DAY SAFETY INSPECTION	40 min	

**INSIDE** All tasks that are performed INSIDE the bus

/	Ent.steps/Handrails	_____	_____	Seats: all Covers/Foam/Frames	X
/	Door controls (all)	_____	/	Seat Cushions secure?	_____
/	Horn	_____	/	Seat Belts (all)	_____
/	Sun Visor	_____	/	Brake, foot (check/adj)	_____
/	Warning buzzers (all)	_____	/	Brake, park (check/adj)	_____
/	Turn Signals/cancel	_____	/	WC Lift	_____
/	Dash Instruments (all)	_____	/	WC mounts	_____
/	Fire ext / Belt Cutter	_____	45	Governor MPH max.	_____
/	Body fluid/Firstaid Kit	_____	/	Check Travel Angle	_____
/	Child Reminder System	_____	/	ROAD TEST COMPLETED	_____
/	Heater/AC filter clean	_____	Na	OPTIONAL BRAKE METER TEST %	_____
/	Heater/Defroster/A/C	_____	/	Clean: Interior	_____


**OUTSIDE** All tasks that are performed OUTSIDE the bus

/	Mirrors (all)	_____	/	Tire Tread: (Left Side): LF <u>7</u> LRO <u>12</u> LRI <u>9</u>	_____
/	Lights (all)	_____	/	Tire Tread: (Right Side): RF <u>11</u> RRO <u>11</u> RRI <u>11</u>	_____
/	WS Wipers (arm travel)	_____	/	Hub Oil:: LF <u>P</u> RF <u>P</u> N/A _____	_____
Na	Washer Fluid added	_____	/	Stop sign/walking arm	_____
/	Bus Body Glass	_____	/	Body Damage	_____
/	Batteries and Cables	_____	/	Letter Damage	_____
/	Drain Air Tanks Completely	_____	/	Paint Damage	_____
/	Tire PSI: (Left Side): LF <u>100</u> LRO <u>105</u> LRI <u>110</u>	_____	/	Clean: Exterior	_____
/	Tire PSI: (Right Side): RF <u>100</u> RRO <u>100</u> RRI <u>100</u>	_____			

**UNDER** All tasks that are performed UNDER the bus

/	Engine: Oil Added: Quarts <u>Na</u>	_____	/	Clean slacks with brush	_____
/	Trans: Fluid added: Quarts <u>Na</u>	_____	/	Springs and hangers	_____
/	Coolant: Frz: Freeze Pt. <u>P</u>	_____	/	Frame/Crossmember bolts	_____
/	Steering, Brake: fluid	_____	/	Frame/Crossmember cracks	_____
/	Engine belts (adjust all)	_____	/	Diff: If leaks, check lube	_____
/	Drain fuel/water separator	_____	/	Drive shaft (guards ok?)	_____
/	Exhaust system Ok?	_____			

TECH SIGNATURE



END DATE

5/13/2019 1:53pm

TOTAL TIME

60 min

SUPERVISOR

DATE

\_\_\_\_\_

Notes

Seats: all Covers/Foam/Frames	Need 1 seat back and foam, need 3 seat bottoms
WC Lift	Na
WC mounts	Na

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	



# DPI Preventative Maintenance Order

62004552722

ORDER #	62004552722	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	04/20/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	10 min	
/	Check Brakes and Slack Adjusters: LF <u>1.5</u> RF <u>1.5</u> LR <u>1.5</u> RR <u>1.5</u>	/	Brake Line: _____
0030	Perform 30 day safety inspection	45 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	/	Seats: all Covers / Foam / Frames
/	Door Controls (all)	/	Seat Cushions Secure (y/n)
/	Horn	/	Seat Belts (all)
/	Sun visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	/	Brake, park (check/adj)
/	Turn signals/cancel	/	WC Lift
/	Dash Instruments (all)	X	WC Mounts
/	Fire ext / Belt Cutter	45	Governor MPH Max.
/	Body Fluid / Firstaid Kit	/	Check Travel Angle
/	Child Reminder system	/	ROAD TEST COMPLETED
/	Heater A/C filter clean	Na	Optional Brake Meter Test %
/	Heater/Defroster/A/C	/	Clean - Interior
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>6</u> LRO <u>12</u> LRI <u>9</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>11</u> RRO <u>12</u> RRI <u>12</u>
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>P</u> RF <u>P</u> N/A _____
Na	Washer Fluid Added	/	Stop Sign/walking arm
/	Bus Body Glass (all)	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>95</u> LRO <u>100</u> LRI <u>105</u>	/	Clean - Exterior
/	Tire PSI: (Right Side): RF <u>90</u> RRO <u>95</u> RRI <u>95</u>	/	
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts _____	/	Clean slacks with brush
/	Trans: fluid added: Quarts _____	/	Springs and hangers
/	Coolant Frz: Freeze Pt. <u>p.</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember Cracks
/	Engine Belts (adjust all)	/	Diff: If leaks, Check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system ok	/	

4/17/2019 11:56am

TECH SIGNATURE

END DATE

TOTAL TIME 55 min

SUPERVISOR

DATE

Notes

Dash Instruments (all)	Abs light is on
WC Lift	Na
WC Mounts	Na
Body Damage	Need rear bumper cap
Letter Damage	Front bus decal
Total Time	Driver fan loose

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	

# DPI Preventative Maintenance Order

62004528941

ORDER #	62004528941	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	03/23/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	15 min	
/	Check Brakes and Slack Adjusters: LF <u>1.5</u> RF <u>1.5</u>	/	Brake Line:
	LR <u>1.5</u> RR <u>1.5</u>		
0030	Perform 30 day safety inspection	45 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	/	Seats: all Covers / Foam / Frames
/	Door Controls (all)	/	Seat Cushions Secure (y/n)
/	Horn	/	Seat Belts (all)
/	Sun visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	/	Brake, park (check/adj)
/	Turn signals/cancel	/	WC Lift
/	Dash Instruments (all)	X	WC Mounts
/	Fire ext / Belt Cutter	45	Governor MPH Max.
/	Body Fluid / Firstaid Kit	/	Check Travel Angle
/	Child Reminder system	/	ROAD TEST COMPLETED
/	Heater A/C filter clean	X	Optional Brake Meter Test %
/	Heater/Defroster/A/C	/	Clean - Interior
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	X	Tire Tread: (Left Side): LF <u>8</u> LRO <u>12</u> LRI <u>5</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>12</u> RRO <u>8</u> RRI <u>9</u>
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>P</u> RF <u>P</u> N/A
Na	Washer Fluid Added	/	Stop Sign/walking arm
/	Bus Body Glass (all)	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>90</u> LRO <u>95</u> LRI <u>100</u>	/	Clean - Exterior
/	Tire PSI: (Right Side): RF <u>90</u> RRO <u>100</u> RRI <u>100</u>	/	
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts	/	Clean slacks with brush
/	Trans: fluid added: Quarts	/	Springs and hangers
/	Coolant Frz: Freeze Pt.	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember Cracks
/	Engine Belts (adjust all)	/	Diff: If leaks, Check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system ok	/	

3/21/2019 11:58am

TECH SIGNATURE

END DATE

TOTAL TIME 60 min

SUPERVISOR

DATE

Notes

Dash Instruments (all)	Abs light is on
Heater A/C filter clean	Need ac and heater filters
WC Lift	Na
WC Mounts	Na
Mirrors (all)	Drivers bottom mirror wired wrong
Total Time	Emg exit decals, need new rear tires

TECH SIGNATURE \_\_\_\_\_ END DATE \_\_\_\_\_ TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_ DATE \_\_\_\_\_

# DPI Preventative Maintenance Order

62004505474

ORDER #	62004505474	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	02/23/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
-----------	-------------	------	-----------

0010	CHECK BRAKES AND SLACK ADJUSTERS	10 min	
------	----------------------------------	--------	--

/	Front: LF <u>1 1/4</u> RF <u>1 1/4</u> LR <u>1 1/2</u> RR <u>1 1/2</u>	/	Brake Lining:
---	--	---	---------------

0020	TEST COOLANT CONDITION WITH STRIPS	10 min	
------	------------------------------------	--------	--

7.0	SCA/PH
-----	--------

0030	PERFORM 30 DAY SAFETY INSPECTION	50 min	
------	----------------------------------	--------	--

### INSIDE All tasks that are performed INSIDE the bus

/	Ent.steps/Handrails	/	Seats: all Covers/Foam/Frames
/	Door controls (all)	/	Seat Cushions secure?
/	Horn	/	Seat Belts (all)
/	Sun Visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	/	Brake, park (check/adj)
/	Turn Signals/cancel	/	WC Lift
/	Dash Instruments (all)	/	WC mounts
/	Fire ext / Belt Cutter	45	Governor MPH max.
/	Body fluid/Firstaid Kit	/	Check Travel Angle
/	Child Reminder System	/	ROAD TEST COMPLETED
/	Heater/AC filter clean	Na	OPTIONAL BRAKE METER TEST %
/	Heater/Defroster/A/C	/	Clean: Interior

### OUTSIDE All tasks that are performed OUTSIDE the bus

/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>8</u> LRO <u>12</u> LRI <u>6</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>12</u> RRO <u>9</u> RRI <u>11</u>
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>Check</u> RF <u>Check</u> N/A <u>Check</u>
Na	Washer Fluid added	/	Stop sign/walking arm
/	Bus Body Glass	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>90</u> LRO <u>96</u> LRI <u>98</u>	/	Clean: Exterior
/	Tire PSI: (Right Side): RF <u>88</u> RRO <u>102</u> RRI <u>104</u>		

### UNDER All tasks that are performed UNDER the bus

/	Engine: Oil Added: Quarts <u>Na</u>	/	Clean slacks with brush
/	Trans: Fluid added: Quarts <u>Na</u>	/	Springs and hangers
/	Coolant: Frz: Freeze Pt. <u>-25</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember cracks
/	Engine belts (adjust all)	/	Diff: If leaks, check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system Ok?		

TECH SIGNATURE

*[Signature]*

END DATE

2/21/2019 11:06am

TOTAL TIME

70 min

SUPERVISOR

*[Signature]*

DATE

\_\_\_\_\_

Notes

Warning buzzers (all)	Need to replace compartment latches
Dash Instruments (all)	Dash lights out
Heater/AC filter clean	Need to replace Ac filter &rear heater filter
Seats: all Covers/Foam/Frames	4 seat back covers & 10 seat bottom covers
Brake, foot (check/adj)	Abs light is on
WC Lift	Na
WC mounts	Na
Lights (all)	2 4" led brake lights & shifter light is out
Body Damage	1 red reflect is cracked & 1 amber reflect is missing
Frame/Crossmember cracks	Need to repair body hold down clamps ( right side)

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	

# DPI Preventative Maintenance Order

62004484280

ORDER #	62004484280	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	02/01/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	.2 min	
/	Check Brakes and Slack Adjusters: LF <u>1.5</u> RF <u>1.5</u> LR <u>1.75</u> RR <u>1.75</u>	/	Brake Line: _____
0030	Perform 30 day safety inspection	.8 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	_____	Seats: all Covers / Foam / Frames <u>X</u>
/	Door Controls (all)	_____	Seat Cushions Secure (y/n) _____
/	Horn	_____	Seat Belts (all) _____
/	Sun visor	_____	Brake, foot (check/adj) _____
/	Warning buzzers (all)	_____	Brake, park (check/adj) _____
/	Turn signals/cancel	_____	WC Lift _____
/	Dash Instruments (all)	<u>X</u>	WC Mounts _____
/	Fire ext / Belt Cutter	_____	Governor MPH Max. <u>45</u>
/	Body Fluid / Firstaid Kit	_____	Check Travel Angle _____
/	Child Reminder system	_____	ROAD TEST COMPLETED _____
/	Heater A/C filter clean	<u>X</u>	Optional Brake Meter Test % _____
/	Heater/Defroster/A/C	_____	Clean - Interior _____
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	<u>X</u>	Tire Tread: (Left Side): LF <u>14</u> LRO <u>13</u> LRI <u>8</u>
/	Lights (all)	_____	Tire Tread: (Right Side): RF <u>16</u> RRO <u>12</u> RRI <u>13</u>
/	WS Wipers (arm travel)	_____	Hub Oil:: LF <u>Na</u> RF <u>Na</u> N/A <u>Na</u>
Na	Washer Fluid Added	_____	Stop Sign/walking arm _____
/	Bus Body Glass (all)	_____	Body Damage _____
/	Batteries and Cables	_____	Letter Damage _____
/	Drain Air Tanks Completely	_____	Paint Damage _____
/	Tire PSI: (Left Side): LF <u>90</u> LRO <u>95</u> LRI <u>95</u>	_____	Clean - Exterior _____
/	Tire PSI: (Right Side): RF <u>90</u> RRO <u>100</u> RRI <u>100</u>	_____	
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts <u>Na</u>	_____	Clean slacks with brush _____
/	Trans: fluid added: Quarts <u>Na</u>	_____	Springs and hangers _____
/	Coolant Frz: Freeze Pt. <u>p</u>	_____	Frame/Crossmember bolts _____
/	Steering, Brake: fluid	_____	Frame/Crossmember Cracks _____
/	Engine Belts (adjust all)	_____	Diff: If leaks, Check lube _____
/	Drain fuel/water separator	_____	Drive shaft (guards ok?) _____
/	Exhaust system ok	_____	

1/24/2019 12:15pm

TECH SIGNATURE

END DATE

TOTAL TIME 1 min

SUPERVISOR

DATE

# DPI Preventative Maintenance Order

62004484280

## Notes

Dash Instruments (all)	Abs light is on
Heater A/C filter clean	Ac and heater filters
Seats: all Covers / Foam / Frames	Seats need repair
WC Lift	Na
WC Mounts	Na
Mirrors (all)	D/s bottom mirror wired wrong

TECH SIGNATURE \_\_\_\_\_ END DATE \_\_\_\_\_ TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_ DATE \_\_\_\_\_



# DPI Preventative Maintenance Order

62004464867

ORDER #	62004464867	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	01/03/2019	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
-----------	-------------	------	-----------

0010 Check Brakes and Slack Adjusters .2 min

/ Check Brakes and Slack Adjusters: LF 1.75 RF 1.75 / Brake Line: \_\_\_\_\_  
 LR 1.75 RR 1.75

0030 Perform 30 day safety inspection .8 min

Inside All tasks that are performed INSIDE the Bus

/ Ent.Steps/Handrails	_____	/ Seats: all Covers / Foam / Frames	X
/ Door Controls (all)	_____	/ Seat Cushions Secure (y/n)	_____
/ Horn	_____	/ Seat Belts (all)	_____
/ Sun visor	_____	/ Brake, foot (check/adj)	_____
/ Warning buzzers (all)	_____	/ Brake, park (check/adj)	_____
/ Turn signals/cancel	_____	/ WC Lift	_____
/ Dash Instruments (all)	X	/ WC Mounts	_____
/ Fire ext / Belt Cutter	_____	45 Governor MPH Max.	_____
/ Body Fluid / Firstaid Kit	_____	/ Check Travel Angle	_____
/ Child Reminder system	_____	/ ROAD TEST COMPLETED	_____
/ Heater A/C filter clean	X	Na Optional Brake Meter Test %	_____
/ Heater/Defroster/A/C	_____	/ Clean - Interior	_____


OUTSIDE All tasks that are performed OUTSIDE the Bus

/ Mirrors (all)	_____	/ Tire Tread: (Left Side): LF <u>14</u> LRO <u>9</u> LRI <u>13</u>	_____
/ Lights (all)	X	/ Tire Tread: (Right Side): RF <u>15</u> RRO <u>9</u> RRI <u>13</u>	_____
/ WS Wipers (arm travel)	_____	/ Hub Oil:: LF <u>Na</u> RF <u>Na</u> N/A <u>Na</u>	_____
Na Washer Fluid Added	_____	/ Stop Sign/walking arm	_____
/ Bus Body Glass (all)	_____	/ Body Damage	_____
/ Batteries and Cables	_____	/ Letter Damage	_____
/ Drain Air Tanks Completely	_____	/ Paint Damage	_____
/ Tire PSI: (Left Side): LF <u>90</u> LRO <u>95</u> LRI <u>95</u>	_____	/ Clean - Exterior	_____
/ Tire PSI: (Right Side): RF <u>90</u> RRO <u>100</u> RRI <u>100</u>	_____		

UNDER All tasks that are performed UNDER the Bus

/ Engine: Oil Added: Quarts _____	/ Clean slacks with brush	_____
/ Trans: fluid added: Quarts _____	/ Springs and hangers	_____
/ Coolant Frz: Freeze Pt. <u>p</u>	/ Frame/Crossmember bolts	_____
/ Steering, Brake: fluid	/ Frame/Crossmember Cracks	_____
/ Engine Belts (adjust all)	/ Diff: If leaks, Check lube	_____
/ Drain fuel/water separator	/ Drive shaft (guards ok?)	X
/ Exhaust system ok		

TECH SIGNATURE




END DATE

1/2/2019 12:32pm

TOTAL TIME

1 min

SUPERVISOR



DATE

Notes

Dash Instruments (all)	Abs light is on
Heater A/C filter clean	Ac and heater filters
Seats: all Covers / Foam / Frames	Seats need repair
WC Lift	Na
WC Mounts	Na
Lights (all)	2 4in taillights
Drive shaft (guards ok?)	Middle carrier bearing has play
Total Time	Corner bumper cover is cracked,

TECH SIGNATURE _____	END DATE _____	TOTAL TIME _____
SUPERVISOR _____	DATE _____	

# DPI Preventative Maintenance Order

62004443053

ORDER #	62004443053	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	12/06/2018	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
-----------	-------------	------	-----------

0010 CHECK BRAKES AND SLACK ADJUSTERS .2 min

/ Front: LF 1.5 RF 1.5 LR 1.25 RR 1.25 / Brake Lining: \_\_\_\_\_

0020 TEST COOLANT CONDITION WITH STRIPS .2 min

95 SCA/PH \_\_\_\_\_

0030 PERFORM 30 DAY SAFETY INSPECTION .8 min

### INSIDE All tasks that are performed INSIDE the bus

/ Ent.steps/Handrails	_____	/ Seats: all Covers/Foam/Frames	<u>X</u>
/ Door controls (all)	_____	/ Seat Cushions secure?	_____
/ Horn	_____	/ Seat Belts (all)	_____
/ Sun Visor	_____	/ Brake, foot (check/adj)	_____
/ Warning buzzers (all)	_____	/ Brake, park (check/adj)	_____
/ Turn Signals/cancel	_____	/ WC Lift	_____
_____ Dash Instruments (all)	<u>X</u>	/ WC mounts	_____
_____ Fire ext / Belt Cutter	<u>X</u>	/ Governor MPH max.	_____
/ Body fluid/Firstaid Kit	_____	/ Check Travel Angle	_____
/ Child Reminder System	_____	/ ROAD TEST COMPLETED	_____
_____ Heater/AC filter clean	<u>X</u>	/ OPTIONAL BRAKE METER TEST %	_____
/ Heater/Defroster/A/C	_____	/ Clean: Interior	_____

### OUTSIDE All tasks that are performed OUTSIDE the bus

/ Mirrors (all)	_____	/ Tire Tread: (Left Side): LF <u>15</u> LRO <u>14</u> LRI <u>9</u>	_____
_____ Lights (all)	<u>X</u>	/ Tire Tread: (Right Side): RF <u>16</u> RRO <u>10</u> RRI <u>14</u>	_____
/ WS Wipers (arm travel)	_____	/ Hub Oil:: LF <u>Na</u> RF <u>Na</u> N/A <u>Na</u>	_____
<u>Na</u> Washer Fluid added	_____	/ Stop sign/walking arm	_____
/ Bus Body Glass	_____	/ Body Damage	_____
/ Batteries and Cables	_____	/ Letter Damage	_____
/ Drain Air Tanks Completely	_____	/ Paint Damage	_____
/ Tire PSI: (Left Side): LF <u>95</u> LRO <u>100</u> LRI <u>100</u>	_____	/ Clean: Exterior	_____
/ Tire PSI: (Right Side): RF <u>90</u> RRO <u>100</u> RRI <u>100</u>	_____		_____

### UNDER All tasks that are performed UNDER the bus

/ Engine: Oil Added: Quarts <u>Na</u>	_____	/ Clean slacks with brush	_____
/ Trans: Fluid added: Quarts <u>Na</u>	_____	/ Springs and hangers	_____
/ Coolant: Frz: Freeze Pt. <u>Na</u>	_____	/ Frame/Crossmember bolts	_____
/ Steering, Brake: fluid	_____	/ Frame/Crossmember cracks	_____
/ Engine belts (adjust all)	_____	/ Diff: If leaks, check lube	<u>X</u>
/ Drain fuel/water separator	_____	/ Drive shaft (guards ok?)	_____
/ Exhaust system Ok?	_____		_____

TECH SIGNATURE

END DATE

12/4/2018 12:51pm

TOTAL TIME

1.2 min

SUPERVISOR

DATE

Notes

Dash Instruments (all)	ABS light on
Fire ext / Belt Cutter	Need fire extinguisher
Heater/AC filter clean	AC filters
Seats: all Covers/Foam/Frames	Seats need repair
WC Lift	Na
WC mounts	Na
Lights (all)	Need one 4 inch taillight
Diff: If leaks, check lube	Leak at top of diff
Total Time	Dora bushing

TECH SIGNATURE \_\_\_\_\_ END DATE \_\_\_\_\_ TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_ DATE \_\_\_\_\_

# DPI Preventative Maintenance Order


62004232334

ORDER #	62004232334	PLANT	Wake County	ASSIGN	SO H.SPRINGS BC/DP
EQ/INV.#	6092-0309	SAP EQ.#		METER READING	12316 MI
EQ.DESC.	72 PASS INTERNATIONAL VT3			PM DUE AT	
YEAR		MAKE		MODEL	
PLANNED DATE	02/09/2018	LIC PLATE		VIN #	0000000000000000

## WORK DESCRIPTION

OPERATION	DESCRIPTION	TIME	VMRS CODE
0010	Check Brakes and Slack Adjusters	20 min	
/	Check Brakes and Slack Adjusters: LF <u>1"</u> RF <u>1"</u> LR <u>1 1/2"</u> RR <u>1 1/2"</u>	/	Brake Line: _____
0030	Perform 30 day safety inspection	30 min	
Inside	All tasks that are performed INSIDE the Bus		
/	Ent.Steps/Handrails	/	Seats: all Covers / Foam / Frames
/	Door Controls (all)	/	Seat Cushions Secure (y/n)
/	Horn	/	Seat Belts (all)
/	Sun visor	/	Brake, foot (check/adj)
/	Warning buzzers (all)	/	Brake, park (check/adj)
/	Turn signals/cancel	/	WC Lift
/	Dash Instruments (all)	/	WC Mounts
/	Fire ext / Belt Cutter	45	Governor MPH Max.
/	Body Fluid / Firstaid Kit	/	Check Travel Angle
/	Child Reminder system	/	ROAD TEST COMPLETED
/	Heater A/C filter clean	N/A	Optional Brake Meter Test %
/	Heater/Defroster/A/C	/	Clean - Interior
OUTSIDE	All tasks that are performed OUTSIDE the Bus		
/	Mirrors (all)	/	Tire Tread: (Left Side): LF <u>13</u> LRO <u>12</u> LRI <u>7</u>
/	Lights (all)	/	Tire Tread: (Right Side): RF <u>16</u> RRO <u>8</u> RRI <u>11</u>
/	WS Wipers (arm travel)	/	Hub Oil:: LF <u>Full</u> RF <u>Full</u> N/A <u>  </u>
None	Washer Fluid Added	/	Stop Sign/walking arm
/	Bus Body Glass (all)	/	Body Damage
/	Batteries and Cables	/	Letter Damage
/	Drain Air Tanks Completely	/	Paint Damage
/	Tire PSI: (Left Side): LF <u>95</u> LRO <u>100</u> LRI <u>100</u>	/	Clean - Exterior
/	Tire PSI: (Right Side): RF <u>95</u> RRO <u>105</u> RRI <u>105</u>	/	
UNDER	All tasks that are performed UNDER the Bus		
/	Engine: Oil Added: Quarts <u>  </u>	/	Clean slacks with brush
/	Trans: fluid added: Quarts <u>  </u>	/	Springs and hangers
/	Coolant Frz: Freeze Pt. <u>P</u>	/	Frame/Crossmember bolts
/	Steering, Brake: fluid	/	Frame/Crossmember Cracks
/	Engine Belts (adjust all)	/	Diff: If leaks, Check lube
/	Drain fuel/water separator	/	Drive shaft (guards ok?)
/	Exhaust system ok	/	

TECH SIGNATURE




END DATE

11/6/2018 11:26am

TOTAL TIME 50 min

SUPERVISOR



DATE

\_\_\_\_\_

Notes

Fire ext / Belt Cutter	Need to replace the fire extinguisher
Body Fluid / Firstaid Kit	Read to replace body fluids kit
WC Lift	N/A
WC Mounts	N/A
Mirrors (all)	Need to replace left side convex mirror
Lights (all)	Replace steps will light
Batteries and Cables	Zip tie multiple loose wires around engine compartment

TECH SIGNATURE \_\_\_\_\_

END DATE \_\_\_\_\_

TOTAL TIME \_\_\_\_\_

SUPERVISOR \_\_\_\_\_

DATE \_\_\_\_\_